

ResTra Fog

Rescue Training Fogger

RTF-2600



Der klassische High-Power Rauchsimulator: RTF-2600.

Aktuelle Technik und Sicherungseinrichtungen verpackt in einem zuverlässigen und langlebigen Gerät.

Kein ungewolltes Nachheizen, ohne vorheriges Abnebeln.

Basierend auf unserer Erfahrung im Nebelbereich der letzten 30 Jahre ist die RTF-2600 als robuster klassischer Rauchsimulator im oberen Leistungsbereich für den täglichen Einsatz entstanden.

ResTra Fog

Rescue Training Fogger



Technische Daten:

Prozedur:	Verdampferprinzip
Leistung:	2600 Watt - zusätzlicher Ausgang für z.B. Lüfter mit bis zu 1060 Watt
Versorgungsspannung:	240 V/50 Hz
Fassungsvermögen Fluidbehälter:	5 Liter
Nebelausstoß:	1%-99% in 1% Schritten
Nebelzeit:	~30 Sek auf 100% Dauernebel bei < 50%
Ansteuerungsmöglichkeiten:	DMX 512, stand alone, timer, analog 0-10V
Aufheizzeit:	~7 Minuten
Temperaturregelung:	Mikroprozessorgesteuert
Betriebsumgebungstemperatur:	5° C zu 45° C
Fluidverbrauch:	240 ml/min. (max. output) 70 ml/min. (Dauernebel)
Gewicht:	12,8 kg
Maße:	58,5 x 23 x 24,7 cm

Optionales Zubehör:

XLR Remote II • Funkfernsteuerung • Schlauch 100 mm ø
• 25 ltr. Kanisterdeckel • Case • Hängeset

ResTra Fog

Rescue Training Fogger

RTF-2600



The classic high-power smoke simulator: RTF-2600.

The latest technology and safety features packed into a reliable and durable device. No unintentional reheating without prior fogging.

Based on our experience in the fog sector over the last 30 years, the RTF-2600 has been developed as a robust, classic smoke simulator in the upper power range for everyday use.

ResTra Fog

Rescue Training Fogger



Technical Data:

Procedure:	Vaporizing fog generator
Power:	2600 Watt - Additional output for e.g. fans with up to 1060 watts
Power requirement:	240 V / 50 Hz
Fluid bottle capacity:	5 liter
Fog emission:	1%-99% in 1% steps
Fog time:	~30 sec on 100% Continuous fog < 50%
Control choices:	DMX 512, stand alone, timer, analog 0-10V
Heat-up time:	~7 minutes
Temperature control:	Microprocessorcontrolled
Ambient temperature:	5° C to 45° C
Fluid consumption:	240 ml/min. (max. output) 70 ml/min. (Dauernebel)
Weight:	12,8 kg
Measures:	58,5 x 23 x 24,7 cm

Optional Accessoires:

XLR Remote II • radio remote • ducting 100mm ø
• 25 ltr bottle connector • case • hanging set